




## 9600 series

Industrial Mobile Computer

Designed for demanding mobile applications, the 9600 series delivers the optimal combination of fast data capture, easy information access, usability, and powerful processing in a single, lightweight mobile computer.



# 9600 series

Industrial Mobile Computer



## The Perfect Companion in the Field

Now you can reliably capture and retrieve the critical information needed in the field. Both Cisco® CCX-compatible WLAN and GSM/GPRS/EDGE communications let you upload and download data nearly anywhere. 1D or 2D, RFID, signature capture, digital camera, and massive storage capacity let you document more and maintain company records in a wide range of formats. The bright display supports graphical business and user applications to help you make more intelligent decisions for your customers and your company. GPS-ready, the 9600 can help you locate your customers wherever they are to keep your deliveries and service calls on track and on schedule.

## Your Information Source on the Floor

Your Windows®-based retail applications are stronger than ever. Supported by a powerful processor and graphical display, multiple AIDC capabilities, multi-modal communications (WWAN, WPAN, plus Cisco® CCX V4-compatible WLAN), the 9600 series makes it easier than ever to manage and track products—and even process sales. Whether on the sales floor or in a delivery truck, you can easily and reliably scan and update inventory, take orders, capture signatures, and send replenishment data across the room or around the world.

## Proven Use Cases using CipherLab PDA industrial mobile computers

### Reduce Asset Management Burden

**Wens Food Group**  
*Livestock Management*



Running standard quality auditing software on Windows® CE-based CipherLab industrial mobile computers, Wens Food Group extends their software tools to the field. With Windows®-based CipherLab devices, managers eliminate cumbersome paper-based procedures while accelerating inspections, saving time, and cutting costs.

### Improve Utility Efficiencies

**GuiYang Power Company**  
*Power Services  
Metering and Billing*



With Windows® CE-based CipherLab industrial mobile computers, GuiYang Power Company eliminates human errors and accelerates their revenue stream. Using CipherLab devices equipped with RFID, WWAN, BT, and a magnetic slot reader, remote workers read power meters, connect to the central office, and collect payments on site.

### Accelerate Postal Activities



**ECT**  
**Brazil National Post Office**  
*Public Service*



By deploying thousands of wireless CipherLab devices to its service centers, ECT is able to ensure accuracy in package tracking, accelerate deliveries, and enhance customer service around the country. Wireless communication lets them instantly maintain data accuracy, while shortening busy lines.

## Limitless Applications

CipherLab's SDK enables you to develop enhanced business applications and easily extend your existing programs to the point of work.

-  **Forge** application generators build custom applications unique to your business.
-  **Mirror** browsers and terminal emulators extending complex mainframe applications to CipherLab devices.

Industry-standard third-party applications add even more.

- ▶ **Naurtech** CETerm Industrial Browser and Terminal Emulators are SAP-compatible for legacy main-frame integration.
- ▶ **SOTI**® Mobicontrol eases the challenges of managing mobile devices in the field remotely.



## Our Most Powerful Industrial Mobile Computer for Field Service and Sales

We've combined all the right technologies into the 9600 with an ergonomic design to help make field and office personnel more productive throughout the day.

### DATA MANAGEMENT

The 9600 can read 1D or 2D codes with your choice of linear imager, 2D imager or laser options. With built-in RFID reader/writer, signature capture, VGA touch screen, 2-megapixel digital camera with LED flash, and 29-key or QWERTY keypad, the 9600 series provides multiform data input for maximum efficiency.

### INTEGRATED GPS AND ADVANCED WLAN

Field service and sales now is made simple, anywhere, with built-in quad-band EDGE and integrated GPS. The 9600 series, equipped with CCX V4-compatible Summit® WLAN modules, gives you reliable, advanced wireless communications. If your current network is built on Cisco® wireless communications, you can extend Cisco® features currently used to the 9600 units for a more advanced data capture infrastructure.

### BUILT STRONG

On the sales floor, in the warehouse, or in the field—indoors and outside—the 9600 is designed to stand up to the most extreme environments and toughest working conditions. It's been tested with repeated 1.5-meter drops onto concrete, tumbled 1,000 times from a 100-cm height, exposed to temperatures from -10 to 50° C with up to 95% humidity, and meets IP64 specifications.

### PERFECT FOR DEMANDING, ENTERPRISE-WIDE SYSTEM SOLUTIONS

Designed around XScale® technology, Marvell's PXA270 embedded processor, and Windows® embedded CE operating system, the 9600 series delivers high-performance computing power with graphical multimedia, yet is incredibly energy efficient. Its large, on-board 1GB memory with microSD slot for up to 16GB maximizes flexibility and scalability for enterprise-wide solutions.



| FEATURES   | BENEFITS  |
|--|---|
| <b>Powerful computing and industry-standard Windows® CE operating system</b> | Deploy a wide range of advanced, graphical applications to energize your business |
| <b>Field-ready, multi-modal communications, plus GPS</b>                     | Do business anywhere in real time   |
| <b>Meets strict and tough environmental testing</b>                          | Reliable operation to keep your business going                                    |
| <b>CipherLab and Windows® SDKs</b>   | Extend your business tools with custom applications                               |

CIPHERLAB PRODUCTS ARE VALUED WORLDWIDE FOR ENGINEERING EXCELLENCE.

**THE 9600 SERIES**

IS ANOTHER EXAMPLE OF TECHNICAL INNOVATION AND QUALITY VALUE FOR TODAY'S AIDC SOLUTIONS.

# SPECIFICATIONS

## 9600 series

### Industrial Mobile Computer



|                                 |   | 9600  | 9670   | 9680 | 9690   |
|---------------------------------|---|---|--|------|--|
| <b>Performance</b>              | Operating system  | Microsoft® Windows® CE 6.0 Professional R2  |  |      |  |
|                                 | CPU   | Marvell PXA270@ 520 MHz   |  |      |  |
|                                 | Memory  | 1GB Flash ROM / 128MB SDRAM   |  |      |  |
|                                 | Expansion   | micro SD slot with SDHC support up to 16GB  |  |      |  |
|                                 | Operating power   | Rechargeable 3.7V 2700 mAh Li-ion battery   |  |      |  |
|                                 |   | Adapter: AC 110V / 220V input, DC 5V / 3 A  |  |      |  |
|                                 | Working hours <sup>1</sup>  | 12 hours batch mode / 10 hours WLAN mode / 10 hours GSM talk time                     |  |      |  |
|                                 | Backup power  | 3.7V 80 mAh lithium battery Data retained for 24 hours minimum without main battery   |  |      |  |
| <b>Wireless communication</b>   | Alerts  | Audio speaker / Buzzer / Vibrator / Tri-color LEDs                                    |  |      |  |
|                                 | WLAN<br>300 m line of sight <sup>2</sup>  | --  | IEEE 802.11 b/g<br>Cisco® CCX V4                   | --   | IEEE 802.11 b/g<br>Cisco® CCX V4                   |
|                                 | WLAN Security   | --  | EAP, WEP, WPA(PSK,TKIP),<br>WPA2(AES, PSK), 802.1X | --   | EAP, WEP, WPA(PSK,TKIP),<br>WPA2(AES, PSK), 802.1X |
|                                 | WPAN  | BT V2.0 + EDR Class 2   |  |      |  |
|                                 | BT profile  | FTP, SPP, DUN, HFP/HSP, HID keyboard, PAN, OPP  |  |      |  |
|                                 | WWAN  | --  | GSM/GPRS/EDGE Quad-band                            |      |  |
|                                 | GPS <sup>4</sup>  | GPS SiRFstar III, integrated GPS antenna  |  |      |  |
|                                 | <b>Data capture</b>   | Barcode scanning  | Linear imager <sup>4</sup> / Laser / 2D imager     |      |  |
| RFID <sup>4</sup> read/write    |   | 13.56 MHz frequency<br>Supported tags: ISO 14443A, ISO 14443B, ISO 15693              |  |      |  |
| Digital camera                  |   | 2 megapixels CMOS with LED flash  |  |      |  |
| <b>Physical characteristics</b> | Display   | 3.5" QVGA or VGA, 65k colors, TFT Transflective Touch LCD Sun Light readable          |  |      |  |
|                                 | Keypad  | 29 numeric or QWERTY keys LED backlit keys  |  |      |  |
|                                 | LED   | Green, red, blue tri-color  |  |      |  |
|                                 | Size L x W x H<br>Weight  | 170 x 90 x 38 mm / 6.7 x 3.5 x 1.5 in.<br>400 g / 14.1 oz. configuration dependent    |  |      |  |
| <b>User environment</b>         | Temperature   | operating: -10° to 50°C / 14° to 122°F storage: -20° to 60°C / -4° to 140°F           |  |      |  |
|                                 | Humidity  | 5% to 95% non-condensing  |  |      |  |
|                                 | Impact resistance   | Multiple 1.5 m / 5 ft. drops onto concrete, 5 drops/face 1,000 tumbles at 100 cm IP64 |  |      |  |
|                                 | Electrostatic discharge   | ±15 kV air discharge / ±8 kV direct discharge   |  |      |  |
| Regulatory <sup>3</sup>         | BSMI, CE, C-Tick, FCC, IC, MII, NCC, SRMC, CCC  |   |  |      |  |
| <b>Development support</b>      | CipherLab C++/.NET DLL, 9600 SDK to support Microsoft® Visual Studio 2005, Microsoft® Visual Studio 2008  |   |  |      |  |
| <b>Application software</b>     | Application Manager, Backup Utility, Reader Configuration Utility, FORGE Batch Application Generator, MIRROR Browser and Terminal Emulator, Naurtech CTerm, SOTI® MobiControl |   |  |      |  |
| <b>Cradles</b>                  | USB and RS232 cradle / Ethernet cradle / Vehicle cradle   |   |  |      |  |
| <b>Accessories</b>              | 4-slot battery charger, vehicle charger, belt holster, protective cover, pistol grip, hand strap, rechargeable battery pack   |   |  |      |  |
| <b>Warranty</b>                 | 1 year  |   |  |      |  |

#### ACCESSORIES



Charging and Communication Cradle



Protective Cover



Pistol Grip



Belt Holster



Vehicle Cradle



Vehicle Charger



4-Slot Battery Charger

<sup>1</sup> Working hours for batch and WLAN are based on one standard laser scan per five seconds with backlight on. The working time for GSM mode is based on continuous talking.  
<sup>2</sup> Effective coverage depends on user environment and equipment deployment. It is highly recommended to conduct a site survey before actual deployment.  
<sup>3</sup> For countries outside USA, Canada, European Economic Area, Australia, Taiwan, and China, consult your local CipherLab representative.  
<sup>4</sup> GPS cannot be used with RFID and linear imager scanning due to hardware limitation.

©2010 CipherLab Co., Ltd. All specifications are subject to change without notice. All rights reserved. All brand, product and service, and trademark names are the property of their registered owners.



**HEADQUARTERS**  
**CipherLab Co., Ltd.**  
 12F, 333 Dunhua S. Rd., Sec. 2  
 Taipei, Taiwan 10669  
 Tel +886 2 8647 1166  
 Fax +886 2 8732 3300  
[www.cipherlab.com](http://www.cipherlab.com)

**CipherLab China**  
 Suite 1305, 1065A, Jaojiabang Rd.  
 Xuhui District, Shanghai,  
 China 200030  
 Tel +86 21 3368 0288  
 Fax +86 21 3368 0286

**CipherLab USA**  
 2552 Summit Avenue  
 Plano, Texas USA 75074  
 Tel +1 469 241 9779  
 Toll Free 888 300 9779  
 Fax +1 469 241 0697

**CipherLab Central Europe**  
 Willicher Damm 143-145  
 41066 Mönchengladbach  
 Germany  
 Tel +49 2161 56230 0  
 Fax +49 2161 56230 22